

角パイプ 切断寸法表


スーパースモール

サイズ	肉厚	重量 kg/m
30×30	2.3	2.03
	3.2	2.75
35×35	3.2	3.30
40×40	2.3	2.62
	3.2	3.58
45×45	2.3	3.10
	3.2	4.25
40×20	2.3	2.03
	3.2	2.75
50×30	2.3	2.62
	3.2	3.58
50×40	3.2	4.25
60×40	2.3	3.47
	3.2	4.76
75×20	2.3	3.30
80×40	2.3	4.20
	3.2	5.77
90×45	3.2	6.68

その他スモール角切断致します

角度切り(ノコ切断)

50□～700□ 製品 45° 12mまで
100□～350□ 製品 30° 3mまで



角型鋼管

サイズ	肉厚	重量 kg/m	
40×40	4.5	4.89	
50×50	1.6	2.38	
	2.3	3.34	
	3.2	4.50	
	4.5	6.02	
60×60	1.6	2.88	
	2.3	4.06	
	3.2	5.50	
	4.5	7.43	
65×65	4.2	7.47	
	70×70	4.2	8.8
	75×75	1.6	3.64
2.3		5.14	
3.2		7.01	
4.5		9.55	
80×80	6.0	12.3	
	2.3	5.50	
	3.2	7.51	
85×85	4.5	10.1	
	90×90	2.3	6.23
90×90	3.2	8.51	
	4.5	12.2	
	100×100	2.3	6.95
3.2		9.52	
4.5		13.1	
6.0		17.0	
115×115	9.0	24.1	
	4.5	15.0	
	125×125	3.2	12.0
4.5		16.6	
6.0		21.7	
9.0		31.1	
150×150	12.0	39.7	
	4.5	20.1	
	6.0	26.4	
175×175	9.0	38.2	
	12.0	49.1	
	6.0	31.1	
200×200	9.0	45.3	
	12.0	58.5	
	4.5	27.2	
200×200	6.0	35.8	
	9.0	52.3	
	12.0	67.9	

サイズ	肉厚	重量 kg/m
50×20	1.6	1.63
	2.3	2.25
60×30	2.3	2.98
	3.2	3.99
75×45	1.6	2.88
	2.3	4.06
	3.2	5.50
90×30	4.5	7.43
	3.2	5.77
100×40	2.3	4.78
	3.2	6.78
	4.2	8.79
100×50	1.6	3.64
	2.3	5.14
	3.2	7.01
	4.5	9.55
100×80	6.0	12.3
	4.5	12.2
125×40	2.3	5.69
125×75	2.3	6.95
	3.2	9.52
	4.5	13.1
150×50	6.0	17.0
	2.3	6.95
150×75	3.2	9.52
	4.5	13.1
	6.0	19.3
150×80	4.5	15.2
	6.0	19.8
150×100	3.2	10.8
	4.5	14.9
	6.0	21.7
	9.0	31.1
200×100	4.5	20.1
	6.0	26.4
	9.0	38.2
200×150	4.5	23.7
	6.0	31.1
	9.0	45.3
250×150	6.0	35.8
300×150	9.0	51.8
	12.0	77.3
300×200	6.0	45.0
	12.0	85.8
400×200	9.0	80.6

丸パイプ 切断寸法表

STK400

サイズ	肉厚	重量 kg/m	切断長さ(mm)
21.7	1.9	0.928	10~6000
	2.3		
27.2	1.9	1.19	10~6000
	2.3	1.41	
34	2.3	1.8	10~6000
	3.2	2.43	
42.7	2.3	2.29	10~6000
	3.2	3.12	
48.6	2.3	2.63	10~6000
	3.2	3.58	
60.5	2.3	3.3	10~6000
	3.2	4.52	10~12000
	3.8	5.31	
76.3	2.8	5.08	10~12000
	3.2	5.77	
	4.2	7.47	
89.1	2.8	5.96	10~12000
	3.2	6.78	
	4.2	8.79	
	5.5	11.3	
101.6	3.2	7.76	10~12000
	4.2	10.1	
	5.7	13.5	
114.3	3.5	9.56	10~12000
	4.5	12.2	
	6.0	16.0	

サイズ	肉厚	重量 kg/m	切断長さ(mm)
139.8	3.5	11.8	10~12000
	4.5	15.0	
	6.6	21.7	
165.2	3.7	14.7	10~12000
	4.5	17.8	
	5.0	19.8	
	7.1	27.7	
190.7	5.3	24.2	10~12000
216.3	4.5	23.5	10~12000
	5.8	30.1	
	8.2	42.1	
	12.7	63.8	
267.4	5.8	37.4	15~12000
	6.6	42.4	
	9.3	59.2	
	12.7	79.8	
318.5	6.0	46.2	15~12000
	6.9	53.0	
355.6	6.4	55.1	15~12000
	7.9	67.1	
406.4	6.4	63.1	15~12000
	7.9	77.6	
457.2	6.4	71.1	20~12000
	7.9	87.5	
508	6.4	79.2	20~12000
	7.9	97.4	

30° まで

角度切り(ノコ切断)

60.5~711.2 製品 45° 12mまで
 101.6~355.6 製品 30° 3mまで

配管用鋼管

丸パイプ切断寸法表

SGP

STPG (E) ©

STS370 STPT370 ©

呼び径		外径	呼び 厚 さ (mm)												外径				
(A)	(B)	(mm)	SGP	S/20	S/30	S/40	S/60	S/80	S/100	S/120	S/160			(mm)					
6	1/8	10.5	2.0	0.419 2.30			1.7	0.369 2.03			2.4	0.479 2.63			10.5				
8	1/4	13.8	2.3	0.652 3.59			2.2	0.629 3.46			3.0	0.799 4.39			13.8				
10	3/8	17.3	2.3	1.851 4.68			2.3	0.851 4.68			3.2	1.11 6.10			17.3				
15	1/2	21.7	2.8	1.31 7.20			2.8	1.31 7.20	3.2	1.46 8.03	3.7	1.64 9.02		4.7	1.97 10.8	21.7			
20	3/4	27.2	2.8	1.68 9.24			2.9	1.74 9.57	3.4	2.00 11.0	3.9	2.24 12.3		5.5	2.94 16.2	27.2			
25	1	34.0	3.2	2.43 13.4			3.4	2.57 14.1	3.9	2.89 15.9	4.5	3.27 18.0		6.4	4.36 24.0	34.0			
32	1 1/4	42.7	3.5	3.38 18.6			3.6	3.47 19.1	4.5	4.24 23.3	4.9	4.57 25.1		6.4	5.73 31.5	42.7			
40	1 1/2	48.6	3.5	3.89 21.4			3.7	4.10 22.6	4.5	4.89 26.9	5.1	5.47 30.1		7.1	7.27 40.0	48.6			
50	2	60.5	3.8	5.31 29.2	3.2	4.52 24.9	3.9	5.44 29.9	4.9	6.72 37.0	5.5	7.46 41.0		8.7	11.1 61.0	60.5			
65	2 1/2	76.3	4.2	7.47 41.1	4.5	7.97 43.8	5.2	9.12 50.2	6.0	10.4 57.2	7.0	12.0 66.0		9.5	15.6 85.8	76.3			
80	3	89.1	4.2	8.79 48.3	4.5	9.39 51.6	5.5	11.3 62.2	6.6	13.4 73.7	7.6	15.3 84.2		11.1	21.4 118	89.1			
90	3 1/2	101.6	4.2	10.1 55.6	4.5	10.8 59.4	5.7	13.5 74.2	7.0	16.3 89.6	8.1	18.7 103		12.7	27.8 153	101.6			
100	4	114.3	4.5	12.2 67.1	4.9	13.2 72.6	6.0	16.0 88.0	7.1	18.8 103	8.6	22.4 123	11.1	28.2 155	33.6 185	114.3			
125	5	139.8	4.5	15.0 82.5	5.1	16.9 93.0	6.6	21.7 119	8.1	26.3 145	9.5	30.5 168	12.7	39.8 219	48.6 267	139.8			
150	6	165.2	5.0	19.8 190	5.5	21.7 119	7.1	27.7 152	9.3	35.8 197	11.0	41.8 230	14.3	53.2 293	66.0 363	165.2			
175	7	190.7	5.3	24.2 133															
200	8	216.3	5.8	30.1 166	6.4	33.1 182	7.0	36.1 199	8.2	4.1 232	10.3	52.3 288	12.7	63.8 351	15.1 74.9 412	18.2 88.9 489	23.0 110 605	216.3	
225	9	241.8	6.2	36.0 198															
250	10	267.4	6.6	42.4 233	6.4	41.2 227	7.8	49.9 274	9.3	59.2 326	12.7	79.8 439	15.1	93.9 516	18.2 112 616	21.4 130 715	28.6 168 924	267.4	
300	12	318.5	6.9	53.0 292	6.4	49.3 271	8.4	64.2 353	10.3	78.3 431	14.3	107 588	17.4	129 710	21.4 157 864	25.4 184 1012	33.3 234 1287	318.5	
350	14	355.6	7.9	67.7 372	7.9	67.7 372	9.5	81.1 446	11.1	94.3 519	15.1	127 698	19.0	158 869	23.8 195 1072	27.8 225 1238	35.7 282 1551	355.6	
400	16	406.4	7.9	77.6 427	7.9	77.6 427	9.5	93.0 512	12.7	123 676	16.7	160 880	21.4	203 1116	26.2 246 1353	30.9 286 1573	40.5 365 2008	406.4	
450	18	457.2	7.9	87.5 481	7.9	87.5 481	11.1	122 671	14.3	156 858									457.2
500	20	508.0	7.9	97.4 536	9.5	117 644	12.7	155 852	15.1	184 1012									508.0
(A)	(B)	(mm)	SGP	S/20	S/30	S/40	S/60	S/80	S/100	S/120	S/160			(mm)					
呼び径		外径	呼び 厚 さ (mm)												外径				

実肉厚	M	当单重
mm	5.5M	当重量